

RecyClass

RECYCLED PLASTICS TRACEABILITY CERTIFICATE

CTLPACK VITORIA- GASTEIZ, S.A.U

Address: HERMANOS LUMIERE KALEA, N1 - 01510 VITORIA-GASTEIZ
Country: Spain

Registration office address: HERMANOS LUMIERE KALEA, N1 - 01510 VITORIA-GASTEIZ
Country: Spain

Compliant with EN 15343:2007 (international equivalence; identical with UNE-EN 15343:2008)

Has been assessed in accordance with the Audit Scheme Version 2.2 in line with EN 15343:2007 and has the required procedures in place in order to ensure the traceability of recycled plastics incorporated in products listed in the attached Annex.

Certification module: General (level 2)

Type of audit: Monitoring audit

Initial certificate issue date: 12/09/2024

Type of products: TUBES

Type of process or operation: Converter, Converter
- extrusion

Chain of Custody model: Controlled blending

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 211ª Planta
28036 - Madrid, Spain



RecyClass

LIST OF CERTIFIED PRODUCTS

Name of product/family	Reference	Recycled Content % (pre-consumers)	Recycled Content % (post-consumers)	Modules
5012921710 - 0015156088	PCR 10% (10 - 10,09)	0	10.06	General
5012926869 - TUCRVRICHE	PCR 10% (10 - 10,09)	0	10	General
5012926937 - TUB10054228	PCR 10,1% (10,1 - 10,19)	0	10.18	General
5012927260 - 250224/00	PCR 10,1% (10,1 - 10,19)	0	10.14	General
5012927384 - 250225/00	PCR 10,1% (10,1 - 10,19)	0	10.14	General
5012917083 - 0015156093	PCR 10,2% (10,2 - 10,29)	0	10.21	General
5012917097 - 0015172882	PCR 10,2% (10,2 - 10,29)	0	10.21	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012917098 - 0015156096	PCR 10,2% (10,2 - 10,29)	0	10.21	General
5012926550 - LC9002062WW	PCR 10,2% (10,2 - 10,29)	0	10.26	General
5012926602 - LC9002042WW	PCR 10,2% (10,2 - 10,29)	0	10.26	General
5012926603 - LC9002082WW	PCR 10,2% (10,2 - 10,29)	0	10.26	General
5012926692 - 210904	PCR 10,3% (10,3 - 10,39)	0	10.35	General
5012925596 - AT0998 0002	PCR 10,4% (10,4 - 10,49)	0	10.49	General
5012924595 - 031605	PCR 10,5% (10,5 - 10,59)	0	10.53	General
5074816 - 2244742004	PCR 10,5% (10,5 - 10,59)	0	10.57	General
5074818 - 2244742003	PCR 10,5% (10,5 - 10,59)	0	10.57	General
7012925196 - FLT027-1	PCR 10,6% (10,6 - 10,69)	0	10.63	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

7012925197 - FLT029-1	PCR 10,6% (10,6 - 10,69)	0	10.63	General
7012925198 - FLT026-1	PCR 10,6% (10,6 - 10,69)	0	10.63	General
7012925199 - FLT028-1	PCR 10,6% (10,6 - 10,69)	0	10.63	General
7012925898 - FLT031	PCR 10,6% (10,6 - 10,69)	0	10.63	General
7012926893 - FLT040-0	PCR 10,6% (10,6 - 10,69)	0	10.63	General
5012917095 - 0015156095	PCR 10,7% (10,7 - 10,79)	0	10.77	General
5012917096 - 0015156094	PCR 10,7% (10,7 - 10,79)	0	10.77	General
5012926690 - 250234/00	PCR 10,7% (10,7 - 10,79)	0	10.79	General
5012926784 - 250203/01	PCR 10,7% (10,7 - 10,79)	0	10.79	General
5012926785 - 250152/02	PCR 10,7% (10,7 - 10,79)	0	10.79	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012926786 - 250236/00	PCR 10,7% (10,7 - 10,79)	0	10.79	General
5012927385 - 250233/00	PCR 10,7% (10,7 - 10,79)	0	10.79	General
5012923539 - 2007522	PCR 11% (11 - 11,09)	0	11.05	General
5012925586 - 211461	PCR 11% (11 - 11,09)	0	11.01	General
5012926113 - 211433	PCR 11% (11 - 11,09)	0	11.01	General
5012927252 - 211514	PCR 11% (11 - 11,09)	0	11.01	General
5012927391 - 211390	PCR 11% (11 - 11,09)	0	11.01	General
5012921447 - 346TUBA2	PCR 11,2% (11,2 - 11,29)	0	11.22	General
5012922213 - 346TUBB2	PCR 11,2% (11,2 - 11,29)	0	11.22	General
5012922214 - 346TUBNA2	PCR 11,2% (11,2 - 11,29)	0	11.22	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012924516 - 346TUF3	PCR 11,2% (11,2 - 11,29)	0	11.22	General
5012927374 - 211388	PCR 11,3% (11,3 - 11,39)	0	11.33	General
5012917100 - 0015172883	PCR 11,5% (11,5 - 11,59)	0	11.55	General
5012917118 - 0015155826	PCR 11,5% (11,5 - 11,59)	0	11.55	General
5012926639 - C230489	PCR 11,9% (11,9 - 11,99)	0	11.91	General
5012926723 - C230465	PCR 11,9% (11,9 - 11,99)	0	11.94	General
5012925665 - 211438	PCR 12,2% (12,2 - 12,29)	0	12.22	General
5012925958 - TUB10047434 - LC9000891WW	PCR 12,3% (12,3 - 12,39)	0	12.38	General
5012925959 - LC9000862WW	PCR 12,3% (12,3 - 12,39)	0	12.38	General
5012926387 - LC9001962WW	PCR 12,3% (12,3 - 12,39)	0	12.38	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012926800 - 0015170208	PCR 12,3% (12,3 - 12,39)	0	12.34	General
5012922185 - C220612	PCR 12,6% (12,6 - 12,69)	0	12.6	General
5074817 - 2244739003	PCR 12,6% (12,6 - 12,69)	0	12.62	General
5074819 - 2244739004	PCR 12,6% (12,6 - 12,69)	0	12.62	General
5074822 - 2244739006	PCR 12,6% (12,6 - 12,69)	0	12.62	General
5074824 - 2244739007	PCR 12,6% (12,6 - 12,69)	0	12.62	General
5074825 - 2244739008	PCR 12,6% (12,6 - 12,69)	0	12.62	General
5012925742 - C220496	PCR 12,7% (12,7 - 12,79)	0	12.79	General
5012926285 - T02045	PCR 12,7% (12,7 - 12,79)	0	12.75	General
5012926266 - PS0045858	PCR 12,8% (12,8 - 12,89)	0	12.82	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012921730 - C220477	PCR 13% (13 - 13,09)	0	13.05	General
5012924076 - C220893	PCR 13% (13 - 13,09)	0	13.05	General
5012927011 - 211437	PCR 13% (13 - 13,09)	0	13.05	General
5012925743 - C220504	PCR 13,3% (13,3 - 13,39)	0	13.35	General
50390398 - 27715-105-00	PCR 13,5% (13,5 - 13,59)	0	13.51	General
5012921731 - C220773	PCR 13,7% (13,7 - 13,79)	0	13.78	General
5012924456 - SANS REFERENCE	PCR 13,7% (13,7 - 13,79)	0	13.77	General
5012926051 - C220494	PCR 14% (14 - 14,09)	0	14.03	General
5012926360 - C220498	PCR 14% (14 - 14,09)	0	14.03	General
5012926870 - C230528	PCR 14% (14 - 14,09)	0	14.03	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

508064270275 - 53TB001550	PCR 14,2% (14,2 - 14,29)	0	14.21	General
5012926943 - C230494	PCR 14,4% (14,4 - 14,49)	0	14.4	General
508064270284 - 53TB007566	PCR 14,8% (14,8 - 14,89)	0	14.89	General
5012923294 - 50-20-20-426	PCR 15% (15 - 15,09)	0	15.02	General
508064270385 - 53TB010047	PCR 15,6% (15,6 - 15,69)	0	15.61	General
5012927247 - 24000937/TU32257A;	PCR 15,7% (15,7 - 15,79)	0	15.72	General
508064270382 - 53TB007541	PCR 15,8% (15,8 - 15,89)	0	15.82	General
508064270383 - 53TB007558	PCR 15,8% (15,8 - 15,89)	0	15.82	General
7012925797 - 313348	PCR 15,8% (15,8 - 15,89)	0	15.84	General
5012925666 - 211439	PCR 15,9% (15,9 - 15,99)	0	15.91	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 211ª Planta
28036 - Madrid, Spain



RecyClass

5012926546 - 2009495	PCR 16,1% (16,1 - 16,19)	0	16.1	General
5012927000 - 2009496	PCR 16,1% (16,1 - 16,19)	0	16.1	General
709090107 - Z02592	PCR 16,1% (16,1 - 16,19)	0	16.16	General
5012927505 - TUBE043CT-29EL02A	PCR 16,2% (16,2 - 16,29)	0	16.21	General
5012020011 - SMART15	PCR 16,4% (16,4 - 16,49)	0	16.47	General
5012020016 - VITC15	PCR 16,4% (16,4 - 16,49)	0	16.47	General
5012926495 - C230306	PCR 16,4% (16,4 - 16,49)	0	16.45	General
5012925456 - 559799	PCR 16,6% (16,6 - 16,69)	0	16.7	General
5012926888 - 559774	PCR 16,6% (16,6 - 16,69)	0	16.7	General
5012925064 - TUB10048880	PCR 16,9% (16,9 - 16,99)	0	16.95	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5012926850 - TUB10053089	PCR 16,9% (16,9 - 16,99)	0	16.95	General
5012927024 - TUB10054137	PCR 16,9% (16,9 - 16,99)	0	16.95	General
5012927099 - GATEF01 TUBE ECLAIR 10ML V1	PCR 17,2% (17,2 - 17,29)	0	17.26	General
5012923564 - TUMR50	PCR 17,3% (17,3 - 17,39)	0	17.35	General
5012923576 - TUGEI50	PCR 17,3% (17,3 - 17,39)	0	17.35	General
5112926357 - K7318900	PCR 17,3% (17,3 - 17,39)	0	17.31	General
5112926358 - K7318901	PCR 17,3% (17,3 - 17,39)	0	17.31	General
5112926359 - K7318902	PCR 17,3% (17,3 - 17,39)	0	17.31	General
5112927219 - 102759500	PCR 17,3% (17,3 - 17,39)	0	17.31	General
5012924145 - 4091000922	PCR 17,5% (17,5 - 17,59)	0	17.51	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012924146 - 4101000922	PCR 17,5% (17,5 - 17,59)	0	17.51	General
5012925455 - C210360	PCR 17,5% (17,5 - 17,59)	0	17.51	General
5012926095 - C220693	PCR 17,5% (17,5 - 17,59)	0	17.51	General
5012926496 - C230308	PCR 17,5% (17,5 - 17,59)	0	17.51	General
5012926498 - C230307	PCR 17,5% (17,5 - 17,59)	0	17.51	General
5012926834 - C230524	PCR 17,5% (17,5 - 17,59)	0	17.51	General
5012926835 - C230538	PCR 17,5% (17,5 - 17,59)	0	17.51	General
5012926836 - C230525	PCR 17,5% (17,5 - 17,59)	0	17.51	General
5012926891 - C230594	PCR 17,5% (17,5 - 17,59)	0	17.51	General
5012926892 - C230551	PCR 17,5% (17,5 - 17,59)	0	17.51	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012926896 - C230542	PCR 17,5% (17,5 - 17,59)	0	17.51	General
5012926957 - C230491	PCR 17,5% (17,5 - 17,59)	0	17.51	General
5012926986 - C230624	PCR 17,5% (17,5 - 17,59)	0	17.51	General
5012927258 - C240147	PCR 17,5% (17,5 - 17,59)	0	17.51	General
5012926430 - TUVIFSOR150	PCR 17,6% (17,6 - 17,69)	0	17.69	General
5012919941 - GATBMNUIT50ML05	PCR 17,7% (17,7 - 17,79)	0	17.72	General
5110740005 - SIN REFERENCIA	PCR 17,7% (17,7 - 17,79)	0	17.71	General
5012922363 - 5141037E	PCR 17,8% (17,8 - 17,89)	0	17.86	General
5012924697 - 3372TUB2	PCR 17,8% (17,8 - 17,89)	0	17.86	General
508061430479 - 2002TB5X	PCR 17,8% (17,8 - 17,89)	0	17.81	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

508061430480 - 2003TB5X	PCR 17,8% (17,8 - 17,89)	0	17.81	General
508061430481 - 2004TB5X	PCR 17,8% (17,8 - 17,89)	0	17.81	General
508061430482 - 2005TB5X	PCR 17,8% (17,8 - 17,89)	0	17.81	General
5012927508 - T02308	PCR 18% (18 - 18,09)	0	18.09	General
5112927018 - CMC40	PCR 18,3% (18,3 - 18,39)	0	18.35	General
5012926005 - 285153	PCR 18,4% (18,4 - 18,49)	0	18.44	General
5012926898 - C230556	PCR 18,4% (18,4 - 18,49)	0	18.45	General
5012925644 - TUBE044CT-30ECP02A	PCR 18,5% (18,5 - 18,59)	0	18.53	General
50530976 - 190018993 AWI-22-0542-B	PCR 18,5% (18,5 - 18,59)	0	18.57	General
50530977 - 190020266 AWI-22-0552-B	PCR 18,5% (18,5 - 18,59)	0	18.57	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5112926622 - TCREDOR20TS	PCR 18,5% (18,5 - 18,59)	0	18.52	General
5012927376 - 4005620	PCR 18,6% (18,6 - 18,69)	0	18.6	General
5012927377 - 4005626	PCR 18,6% (18,6 - 18,69)	0	18.6	General
5012926955 - KOJIC CREME ECLAT	PCR 18,8% (18,8 - 18,89)	0	18.84	General
5012925602 - T01764	PCR 18,9% (18,9 - 18,99)	0	18.93	General
5012927340 - T95188	PCR 18,9% (18,9 - 18,99)	0	18.93	General
5012927404 - T95203	PCR 18,9% (18,9 - 18,99)	0	18.93	General
5012927405 - T95209	PCR 18,9% (18,9 - 18,99)	0	18.93	General
5012925204 - ETT000521	PCR 19% (19 - 19,09)	0	19.02	General
5012925764 - 21436	PCR 19% (19 - 19,09)	0	19.03	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5012926556 - C220881	PCR 19,1% (19,1 - 19,19)	0	19.19	General
5012924572 - TUBE042CT-30EL02C	PCR 19,2% (19,2 - 19,29)	0	19.23	General
5012926814 - 2009395	PCR 19,2% (19,2 - 19,29)	0	19.23	General
50530951 - 190022510 AWI-24-0257-C	PCR 19,2% (19,2 - 19,29)	0	19.23	General
5012926668 - C230241	PCR 19,3% (19,3 - 19,39)	0	19.33	General
5012915007 - GATCM08	PCR 19,4% (19,4 - 19,49)	0	19.47	General
5012918769 - GATHALLU30ML04	PCR 19,4% (19,4 - 19,49)	0	19.47	General
5012927174 - 15179412	PCR 19,4% (19,4 - 19,49)	0	19.44	General
515562960 - 3612623425251	PCR 19,4% (19,4 - 19,49)	0	19.4	General
5012926638 - TUEJR20	PCR 19,5% (19,5 - 19,59)	0	19.52	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5012927005 - 102487502	PCR 19,5% (19,5 - 19,59)	0	19.59	General
5012927006 - 102442001	PCR 19,5% (19,5 - 19,59)	0	19.59	General
5012927253 - Pré-série Option 3	PCR 19,6% (19,6 - 19,69)	0	19.65	General
5012926176 - TUB048-003	PCR 19,8% (19,8 - 19,89)	0	19.81	General
5012926691 - TUB048-002	PCR 19,8% (19,8 - 19,89)	0	19.81	General
5012926791 - KD10443320001	PCR 19,8% (19,8 - 19,89)	0	19.84	General
508064270373 - 51TB020052	PCR 19,8% (19,8 - 19,89)	0	19.89	General
5112924856 - TBAUMDOR30V2	PCR 19,8% (19,8 - 19,89)	0	19.81	General
5112926620 - TCLEANDOR30TS	PCR 19,8% (19,8 - 19,89)	0	19.81	General
5012130019 - 8002955	PCR 19,9% (19,9 - 19,99)	0	19.93	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012924384 - T01766BC	PCR 19,9% (19,9 - 19,99)	0	19.93	General
5012925801 - TU27699A1	PCR 19,9% (19,9 - 19,99)	0	19.96	General
5012926041 - 0015101304	PCR 19,9% (19,9 - 19,99)	0	19.96	General
5012926181 - T02049	PCR 19,9% (19,9 - 19,99)	0	19.91	General
5012926300 - T94512	PCR 19,9% (19,9 - 19,99)	0	19.91	General
5012926303 - T94518	PCR 19,9% (19,9 - 19,99)	0	19.91	General
508064270352 - 51TB025051	PCR 19,9% (19,9 - 19,99)	0	19.99	General
508420105 - 60013528/02	PCR 19,9% (19,9 - 19,99)	0	19.93	General
508420106 - 60013529/02	PCR 19,9% (19,9 - 19,99)	0	19.93	General
508420107 - 60013530/01	PCR 19,9% (19,9 - 19,99)	0	19.93	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

508420108 - 60013531/01	PCR 19,9% (19,9 - 19,99)	0	19.93	General
5012926431 - TUGOUGDG200	PCR 20% (20 - 20,09)	0	20.04	General
5012926889 - TUEAC75	PCR 20% (20 - 20,09)	0	20.1	General
5012926963 - 4005440	PCR 20% (20 - 20,09)	0	20	General
5012927041 - TUMG75	PCR 20% (20 - 20,09)	0	20.1	General
5012927042 - TUSS075	PCR 20% (20 - 20,09)	0	20.1	General
5012927140 - 4005516	PCR 20% (20 - 20,09)	0	20	General
5012927200 - 4005661	PCR 20% (20 - 20,09)	0	20	General
5012927330 - 4005522	PCR 20% (20 - 20,09)	0	20	General
5012927378 - 4005627	PCR 20% (20 - 20,09)	0	20	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5012927379 - 4005621	PCR 20% (20 - 20,09)	0	20	General
5012926699 - 2971001023	PCR 20,1% (20,1 - 20,19)	0	20.19	General
5012919940 - GATBMAPAIS50ML03	PCR 20,2% (20,2 - 20,29)	0	20.27	General
5012924698 - 372TUB3	PCR 20,2% (20,2 - 20,29)	0	20.27	General
5012926828 - C230591	PCR 20,2% (20,2 - 20,29)	0	20.27	General
5012926832 - C230592	PCR 20,2% (20,2 - 20,29)	0	20.27	General
5012926947 - AB_1005_TUBE_01_01	PCR 20,4% (20,4 - 20,49)	0	20.47	General
5112924989 - TCLEANDOR150V1	PCR 20,4% (20,4 - 20,49)	0	20.49	General
5012917912 - C220335	PCR 20,5% (20,5 - 20,59)	0	20.53	General
5012923762 - FAC00641	PCR 20,5% (20,5 - 20,59)	0	20.53	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 211ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5012925918 - FAC00367	PCR 20,5% (20,5 - 20,59)	0	20.53	General
5012924744 - T01735	PCR 20,6% (20,6 - 20,69)	0	20.68	General
5012925929 - MB025B13.15R	PCR 20,7% (20,7 - 20,79)	0	20.79	General
5012926435 - GATADLFJ20ML02	PCR 20,8% (20,8 - 20,89)	0	20.9	General
5012926617 - C230560	PCR 20,8% (20,8 - 20,89)	0	20.89	General
5012926890 - TUCSL30	PCR 20,8% (20,8 - 20,89)	0	20.86	General
5012020015 - EXFO40	PCR 20,9% (20,9 - 20,99)	0	20.94	General
5012020017 - SUC40	PCR 20,9% (20,9 - 20,99)	0	20.94	General
5012020018 - MINIMASK15	PCR 20,9% (20,9 - 20,99)	0	20.96	General
5012902442 - TB00004	PCR 20,9% (20,9 - 20,99)	0	21	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5012920398 - T02304	PCR 20,9% (20,9 - 20,99)	0	21	General
5012924138 - T01755	PCR 20,9% (20,9 - 20,99)	0	21	General
5012924342 - T94443-01	PCR 20,9% (20,9 - 20,99)	0	21	General
5012925182 - T01883	PCR 20,9% (20,9 - 20,99)	0	21	General
5012925184 - T01885-02	PCR 20,9% (20,9 - 20,99)	0	21	General
5012925186 - T92607-02	PCR 20,9% (20,9 - 20,99)	0	21	General
5012925469 - T02306	PCR 20,9% (20,9 - 20,99)	0	21	General
5012925470 - T95077	PCR 20,9% (20,9 - 20,99)	0	21	General
5012925613 - T94442	PCR 20,9% (20,9 - 20,99)	0	21	General
5012925614 - T94444-01	PCR 20,9% (20,9 - 20,99)	0	21	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5012926327 - T94514	PCR 20,9% (20,9 - 20,99)	0	21	General
5012926685 - T95011	PCR 20,9% (20,9 - 20,99)	0	21	General
5012927088 - T95152	PCR 20,9% (20,9 - 20,99)	0	21	General
5012927090 - T95144	PCR 20,9% (20,9 - 20,99)	0	21	General
5012927406 - T02309	PCR 20,9% (20,9 - 20,99)	0	21	General
5012927407 - T02310	PCR 20,9% (20,9 - 20,99)	0	21	General
5012927408 - T02311	PCR 20,9% (20,9 - 20,99)	0	21	General
5012927409 - T95206	PCR 20,9% (20,9 - 20,99)	0	21	General
5012926853 - ZABVHJ2TUBV1A	PCR 21% (21 - 21,09)	0	21.02	General
5012926854 - ZABVMJ2TUBV1A	PCR 21% (21 - 21,09)	0	21.02	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012927294 - 4005624	PCR 21% (21 - 21,09)	0	21.04	General
5012927375 - 4005625	PCR 21% (21 - 21,09)	0	21.04	General
5012923538 - 028840	PCR 21,1% (21,1 - 21,19)	0	21.16	General
5012925434 - 028970	PCR 21,1% (21,1 - 21,19)	0	21.16	General
5012926719 - 031013	PCR 21,1% (21,1 - 21,19)	0	21.16	General
5012923562 - TUCFO30	PCR 21,2% (21,2 - 21,29)	0	21.22	General
5012923853 - W6069	PCR 21,2% (21,2 - 21,29)	0	21.22	General
5012923854 - W6068	PCR 21,2% (21,2 - 21,29)	0	21.22	General
5012923855 - W6067	PCR 21,2% (21,2 - 21,29)	0	21.22	General
5012923858 - W6066	PCR 21,2% (21,2 - 21,29)	0	21.22	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5012926512 - C230310	PCR 21,2% (21,2 - 21,29)	0	21.24	General
5012926768 - HOA0620	PCR 21,2% (21,2 - 21,29)	0	21.27	General
5012927188 - TUBP1509	PCR 21,2% (21,2 - 21,29)	0	21.24	General
5012927189 - TUBP1511	PCR 21,2% (21,2 - 21,29)	0	21.24	General
5012927243 - C230326	PCR 21,2% (21,2 - 21,29)	0	21.24	General
5012920058 - SDPY0015100942	PCR 21,3% (21,3 - 21,39)	0	21.35	General
5012926887 - T02064BC	PCR 21,3% (21,3 - 21,39)	0	21.35	General
508064270374 - 53TB020024	PCR 21,3% (21,3 - 21,39)	0	21.31	General
508064270376 - 56TB020027	PCR 21,3% (21,3 - 21,39)	0	21.31	General
5012923991 - 5292017C	PCR 21,4% (21,4 - 21,49)	0	21.44	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5012904153 - C220702	PCR 21,5% (21,5 - 21,59)	0	21.57	General
5012923640 - 029834	PCR 21,5% (21,5 - 21,59)	0	21.58	General
5012923698 - 029839	PCR 21,5% (21,5 - 21,59)	0	21.58	General
5012925050 - 91578658	PCR 21,5% (21,5 - 21,59)	0	21.58	General
5012925143 - 91578758	PCR 21,5% (21,5 - 21,59)	0	21.58	General
5012926720 - 031014	PCR 21,5% (21,5 - 21,59)	0	21.58	General
5012906985 - T02106	PCR 21,7% (21,7 - 21,79)	0	21.73	General
5012907062 - T02069	PCR 21,7% (21,7 - 21,79)	0	21.73	General
5012924137 - T02289	PCR 21,7% (21,7 - 21,79)	0	21.73	General
5012925180 - T92611	PCR 21,7% (21,7 - 21,79)	0	21.73	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 211ª Planta
28036 - Madrid, Spain



RecyClass

5012926174 - T01884	PCR 21,7% (21,7 - 21,79)	0	21.73	General
5012927251 - T02068	PCR 21,7% (21,7 - 21,79)	0	21.73	General
5012923628 - AB_1328_TUBE_01_03	PCR 21,8% (21,8 - 21,89)	0	21.84	General
5012924590 - AB_1129_TUBE_01_02	PCR 21,8% (21,8 - 21,89)	0	21.84	General
5012925485 - AB_1225_TUBE_01_03	PCR 21,8% (21,8 - 21,89)	0	21.84	General
5012924075 - C200457	PCR 21,9% (21,9 - 21,99)	0	21.99	General
5012926610 - C240263	PCR 21,9% (21,9 - 21,99)	0	21.99	General
5012926729 - C230520	PCR 21,9% (21,9 - 21,99)	0	21.99	General
5012926734 - C230518	PCR 21,9% (21,9 - 21,99)	0	21.99	General
5012926758 - C230543	PCR 21,9% (21,9 - 21,99)	0	21.99	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5012926954 - C230490	PCR 21,9% (21,9 - 21,99)	0	21.99	General
5012927480 - C240262	PCR 21,9% (21,9 - 21,99)	0	21.99	General
50740555 - EN0589800	PCR 21,9% (21,9 - 21,99)	0	21.99	General
5012926099 - MB025B11.15R	PCR 22% (22 - 22,09)	0	22.05	General
5112917911 - C220321	PCR 22% (22 - 22,09)	0	22.06	General
5012914028 - GATE2CBR07	PCR 22,2% (22,2 - 22,29)	0	22.29	General
5012914970 - GATE2CBA08	PCR 22,2% (22,2 - 22,29)	0	22.29	General
5012919124 - GATCROCO75MLV6	PCR 22,3% (22,3 - 22,39)	0	22.33	General
5012923699 - 029833	PCR 22,3% (22,3 - 22,39)	0	22.39	General
5012923700 - 029832	PCR 22,3% (22,3 - 22,39)	0	22.39	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012924186 - C220696	PCR 22,3% (22,3 - 22,39)	0	22.3	General
5012926665 - 211623	PCR 22,3% (22,3 - 22,39)	0	22.32	General
5012926871 - C230611	PCR 22,3% (22,3 - 22,39)	0	22.3	General
505301004 - 190023895 AWI- 22-0560-B	PCR 22,5% (22,5 - 22,59)	0	22.54	General
50530806 - 190020423 AWI-22-05272-A	PCR 22,5% (22,5 - 22,59)	0	22.5	General
50530974 - 190020100 AWI-22-0543-B	PCR 22,5% (22,5 - 22,59)	0	22.54	General
50530825 - 190023589 AWI-22-0464-C	PCR 22,6% (22,6 - 22,69)	0	22.66	General
5012925090 - T02286BC	PCR 22,8% (22,8 - 22,89)	0	22.84	General
5012925206 - TUCFP40	PCR 22,8% (22,8 - 22,89)	0	22.86	General
5012926201 - TUCPA40	PCR 22,8% (22,8 - 22,89)	0	22.86	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 211ª Planta
28036 - Madrid, Spain



RecyClass

5012927100 - T02075BC	PCR 22,8% (22,8 - 22,89)	0	22.84	General
5012927314 - TUCCDORE	PCR 22,8% (22,8 - 22,89)	0	22.86	General
5012927419 - T93461BC	PCR 22,8% (22,8 - 22,89)	0	22.84	General
50530927 - 190020102 AWI-22-0549-B	PCR 22,8% (22,8 - 22,89)	0	22.84	General
508061430550 - 6681TBX	PCR 22,8% (22,8 - 22,89)	0	22.88	General
5012927191 - 211392	PCR 22,9% (22,9 - 22,99)	0	22.94	General
5012927339 - 211391	PCR 22,9% (22,9 - 22,99)	0	22.94	General
508064270378 - 53TB015056	PCR 22,9% (22,9 - 22,99)	0	22.93	General
5012925128 - ETT000519	PCR 23% (23 - 23,09)	0	23.07	General
5012927446 - 22152	PCR 23% (23 - 23,09)	0	23.04	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 211ª Planta
28036 - Madrid, Spain



RecyClass

5012927447 - 22149	PCR 23% (23 - 23,09)	0	23.04	General
505301015 - EN0821200-190024123	PCR 23% (23 - 23,09)	0	23.05	General
5012925334 - 434TUBA2	PCR 23,1% (23,1 - 23,19)	0	23.12	General
5012926840 - 22142	PCR 23,1% (23,1 - 23,19)	0	23.12	General
5012926882 - 22143	PCR 23,1% (23,1 - 23,19)	0	23.12	General
5012917848 - C220334	PCR 23,2% (23,2 - 23,29)	0	23.23	General
5012130018 - 80025542	PCR 23,3% (23,3 - 23,39)	0	23.33	General
5012922994 - 11000092	PCR 23,3% (23,3 - 23,39)	0	23.38	General
501297174 - TB00019	PCR 23,3% (23,3 - 23,39)	0	23.38	General
5012918273 - C220887	PCR 23,4% (23,4 - 23,49)	0	23.42	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012927352 - PRESERIEPCR	PCR 23,4% (23,4 - 23,49)	0	23.46	General
5012130017 - 80025559	PCR 23,5% (23,5 - 23,59)	0	23.59	General
5012130020 - 8002959	PCR 23,5% (23,5 - 23,59)	0	23.59	General
5012900923 - TB00020	PCR 23,5% (23,5 - 23,59)	0	23.52	General
5012926596 - A CONFIRMER	PCR 23,5% (23,5 - 23,59)	0	23.59	General
5012927025 - TUNH100	PCR 23,5% (23,5 - 23,59)	0	23.57	General
5012927190 - TUBP1510	PCR 23,5% (23,5 - 23,59)	0	23.52	General
5012927275 - OPT137ML30	PCR 23,5% (23,5 - 23,59)	0	23.53	General
5012925771 - 50-20-20-449	PCR 23,6% (23,6 - 23,69)	0	23.63	General
5011620001 - SIN REFERENCIA	PCR 23,7% (23,7 - 23,79)	0	23.77	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5012918910 - C220764	PCR 23,7% (23,7 - 23,79)	0	23.77	General
5012918911 - C220763	PCR 23,7% (23,7 - 23,79)	0	23.77	General
5012922921 - C220691	PCR 23,7% (23,7 - 23,79)	0	23.77	General
5012924383 - T01715BC	PCR 23,7% (23,7 - 23,79)	0	23.74	General
5012926139 - C220937	PCR 23,7% (23,7 - 23,79)	0	23.77	General
5012927399 - C240248	PCR 23,7% (23,7 - 23,79)	0	23.77	General
5012923701 - 029841	PCR 23,8% (23,8 - 23,89)	0	23.89	General
5012923702 - 029836	PCR 23,8% (23,8 - 23,89)	0	23.89	General
5012925144 - ETT000522	PCR 23,9% (23,9 - 23,99)	0	23.92	General
5012927201 - T02079	PCR 23,9% (23,9 - 23,99)	0	23.95	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012925380 - CYTOLROSE AR	PCR 24% (24 - 24,09)	0	24.02	General
5012927254 - Présérie - Option2	PCR 24% (24 - 24,09)	0	24.05	General
5012927312 - CYTOLROSE CC	PCR 24% (24 - 24,09)	0	24.02	General
5012925435 - 028973	PCR 24,1% (24,1 - 24,19)	0	24.12	General
5012925654 - C220209	PCR 24,1% (24,1 - 24,19)	0	24.11	General
5012925980 - GATSOLV5003	PCR 24,1% (24,1 - 24,19)	0	24.17	General
5012926867 - T02056BC	PCR 24,1% (24,1 - 24,19)	0	24.12	General
5012927433 - AB_6005_TUBE_01_01	PCR 24,1% (24,1 - 24,19)	0	24.11	General
5012919969 - SDPY0015100927	PCR 24,2% (24,2 - 24,29)	0	24.29	General
5012924647 - S103005C	PCR 24,2% (24,2 - 24,29)	0	24.24	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5012925201 - 028581	PCR 24,2% (24,2 - 24,29)	0	24.25	General
5012925459 - 028583	PCR 24,2% (24,2 - 24,29)	0	24.25	General
5012908147 - C220826	PCR 24,3% (24,3 - 24,39)	0	24.37	General
5012916338 - C220675	PCR 24,3% (24,3 - 24,39)	0	24.37	General
5012925806 - C230240	PCR 24,3% (24,3 - 24,39)	0	24.37	General
5012926151 - C220678	PCR 24,3% (24,3 - 24,39)	0	24.37	General
5012926606 - C230266	PCR 24,3% (24,3 - 24,39)	0	24.37	General
5012926628 - C240188	PCR 24,3% (24,3 - 24,39)	0	24.37	General
5012926667 - C230242	PCR 24,3% (24,3 - 24,39)	0	24.37	General
5012926856 - AB_1002_TUBE_01_01	PCR 24,3% (24,3 - 24,39)	0	24.37	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012926945 - AB_1003_TUBE_01_01	PCR 24,3% (24,3 - 24,39)	0	24.37	General
5012926946 - AB_1004_TUBE_01_01	PCR 24,3% (24,3 - 24,39)	0	24.37	General
505301018 - EN0816600- 190025183	PCR 24,3% (24,3 - 24,39)	0	24.33	General
505301021 - EN0810600- 190025187	PCR 24,3% (24,3 - 24,39)	0	24.33	General
505301024 - EN0820500- 190025239	PCR 24,3% (24,3 - 24,39)	0	24.33	General
505301025 - EN0820400- 190025184	PCR 24,3% (24,3 - 24,39)	0	24.33	General
5012917993 - 5043017A	PCR 24,5% (24,5 - 24,59)	0	24.59	General
5012919137 - 5282016F	PCR 24,5% (24,5 - 24,59)	0	24.59	General
5012920683 - 5285016F	PCR 24,5% (24,5 - 24,59)	0	24.59	General
5012922660 - 1257201	PCR 24,5% (24,5 - 24,59)	0	24.57	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012924081 - 026314	PCR 24,5% (24,5 - 24,59)	0	24.54	General
5012924301 - 504C016B	PCR 24,5% (24,5 - 24,59)	0	24.59	General
5012924557 - 5284017B	PCR 24,5% (24,5 - 24,59)	0	24.59	General
5012925667 - 5110027A	PCR 24,5% (24,5 - 24,59)	0	24.59	General
5012914760 - GA79385	PCR 24,7% (24,7 - 24,79)	0	24.79	General
5012915585 - C220473	PCR 24,7% (24,7 - 24,79)	0	24.8	General
5012915586 - C220474	PCR 24,7% (24,7 - 24,79)	0	24.8	General
5012915587 - C220471	PCR 24,7% (24,7 - 24,79)	0	24.8	General
5012927170 - C240146	PCR 24,7% (24,7 - 24,79)	0	24.8	General
5012925074 - T01721BC	PCR 24,8% (24,8 - 24,89)	0	24.83	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012926821 - T01740	PCR 24,8% (24,8 - 24,89)	0	24.83	General
5048221 - 213320	PCR 24,8% (24,8 - 24,89)	0	24.86	General
5048222 - 213318	PCR 24,8% (24,8 - 24,89)	0	24.86	General
5048223 - 213316	PCR 24,8% (24,8 - 24,89)	0	24.86	General
5048225 - 213317	PCR 24,8% (24,8 - 24,89)	0	24.86	General
5012915638 - GAT15CRO09	PCR 24,9% (24,9 - 24,99)	0	24.95	General
5012920087 - GATMINIBML04	PCR 24,9% (24,9 - 24,99)	0	24.95	General
5012920088 - GATMINIBMA05	PCR 24,9% (24,9 - 24,99)	0	24.95	General
5010480089 - 01902617	PCR 25% (25 - 25,09)	0	25.05	General
5010480091 - 01902619	PCR 25% (25 - 25,09)	0	25.05	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012924956 - 028193	PCR 25% (25 - 25,09)	0	25	General
5012924957 - 028192	PCR 25% (25 - 25,09)	0	25	General
5012925352 - ACBUC00007	PCR 25% (25 - 25,09)	0	25	General
50174632 - M20095660	PCR 25% (25 - 25,09)	0	25.05	General
5012926964 - CM452420	PCR 25,1% (25,1 - 25,19)	0	25.14	General
5012919393 - T02287	PCR 25,2% (25,2 - 25,29)	0	25.29	General
5012926124 - S103175B	PCR 25,2% (25,2 - 25,29)	0	25.29	General
5012926629 - C230343	PCR 25,2% (25,2 - 25,29)	0	25.21	General
5012921229 - ZPOTPC35MLRCG	PCR 25,3% (25,3 - 25,39)	0	25.35	General
508780003 - 200371	PCR 25,3% (25,3 - 25,39)	0	25.38	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012910513 - TB00021	PCR 25,4% (25,4 - 25,49)	0	25.47	General
5012926589 - 211376	PCR 25,4% (25,4 - 25,49)	0	25.47	General
5012917845 - C220886	PCR 25,5% (25,5 - 25,59)	0	25.58	General
5012926645 - C220670	PCR 25,5% (25,5 - 25,59)	0	25.58	General
5012918937 - C230626	PCR 25,6% (25,6 - 25,69)	0	25.61	General
5012923233 - C230622	PCR 25,6% (25,6 - 25,69)	0	25.61	General
5012925104 - C210359	PCR 25,6% (25,6 - 25,69)	0	25.61	General
5012925390 - TUB10054334	PCR 25,6% (25,6 - 25,69)	0	25.63	General
5012925713 - C220210	PCR 25,6% (25,6 - 25,69)	0	25.61	General
5012926004 - C240053	PCR 25,6% (25,6 - 25,69)	0	25.61	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012926006 - C230390	PCR 25,6% (25,6 - 25,69)	0	25.61	General
5012926128 - C220660	PCR 25,6% (25,6 - 25,69)	0	25.61	General
5012926551 - C230588	PCR 25,6% (25,6 - 25,69)	0	25.61	General
5012926735 - C230517	PCR 25,6% (25,6 - 25,69)	0	25.61	General
5012926737 - C230515	PCR 25,6% (25,6 - 25,69)	0	25.61	General
5012926738 - C230516	PCR 25,6% (25,6 - 25,69)	0	25.61	General
5012926833 - C230541	PCR 25,6% (25,6 - 25,69)	0	25.61	General
5012926849 - C230527	PCR 25,6% (25,6 - 25,69)	0	25.61	General
5012926852 - C230522	PCR 25,6% (25,6 - 25,69)	0	25.61	General
5012926958 - C230498	PCR 25,6% (25,6 - 25,69)	0	25.61	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012926971 - C230620	PCR 25,6% (25,6 - 25,69)	0	25.61	General
5012926972 - C230625	PCR 25,6% (25,6 - 25,69)	0	25.61	General
5012926985 - C230623	PCR 25,6% (25,6 - 25,69)	0	25.61	General
5012927510 - C230621	PCR 25,6% (25,6 - 25,69)	0	25.61	General
50740620 - EN0704700	PCR 25,6% (25,6 - 25,69)	0	25.63	General
5012926848 - 22147	PCR 25,7% (25,7 - 25,79)	0	25.79	General
5012926851 - 22144	PCR 25,7% (25,7 - 25,79)	0	25.79	General
5012927442 - 22151	PCR 25,7% (25,7 - 25,79)	0	25.79	General
5012915402 - T02076	PCR 25,8% (25,8 - 25,89)	0	25.8	General
5012915403 - T02077	PCR 25,8% (25,8 - 25,89)	0	25.8	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012926192 - T02043	PCR 25,8% (25,8 - 25,89)	0	25.8	General
5012926563 - 211225	PCR 25,8% (25,8 - 25,89)	0	25.86	General
5012926664 - 211373	PCR 25,8% (25,8 - 25,89)	0	25.86	General
5012926944 - C230500	PCR 25,8% (25,8 - 25,89)	0	25.86	General
5012921774 - AB_1329_TUBE_01_03	PCR 25,9% (25,9 - 25,99)	0	25.9	General
5012921775 - AB_1223_TUBE_01_03	PCR 25,9% (25,9 - 25,99)	0	25.9	General
5012923627 - AB_1222_TUBE_01_03	PCR 25,9% (25,9 - 25,99)	0	25.9	General
508062160338 - F25451	PCR 25,9% (25,9 - 25,99)	0	26	General
5012925323 - T01714	PCR 26,1% (26,1 - 26,19)	0	26.12	General
5012927349 - TUCCLAIR	PCR 26,1% (26,1 - 26,19)	0	26.14	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 211ª Planta
28036 - Madrid, Spain



RecyClass

5012923552 - TUG2E200	PCR 26,3% (26,3 - 26,39)	0	26.36	General
5012924534 - TUBE0061	PCR 26,3% (26,3 - 26,39)	0	26.33	General
5012926293 - C220925	PCR 26,4% (26,4 - 26,49)	0	26.4	General
5012926700 - C230271	PCR 26,4% (26,4 - 26,49)	0	26.4	General
5012926872 - C230526	PCR 26,4% (26,4 - 26,49)	0	26.4	General
5012915736 - C210361	PCR 26,5% (26,5 - 26,59)	0	26.51	General
5012923114 - C220207	PCR 26,5% (26,5 - 26,59)	0	26.51	General
5012923382 - C200445	PCR 26,5% (26,5 - 26,59)	0	26.51	General
5012923452 - 74334 (C/DVPA/C0121)	PCR 26,5% (26,5 - 26,59)	0	26.51	General
5012923453 - 74333 (C/DVPA/C0121)	PCR 26,5% (26,5 - 26,59)	0	26.51	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012923706 - 74409 (C/DVPA/C0121)	PCR 26,5% (26,5 - 26,59)	0	26.51	General
5012924871 - 5013057B	PCR 26,5% (26,5 - 26,59)	0	26.5	General
5012926125 - C240283	PCR 26,5% (26,5 - 26,59)	0	26.51	General
5012926428 - C230118	PCR 26,5% (26,5 - 26,59)	0	26.51	General
5012926953 - C230495	PCR 26,5% (26,5 - 26,59)	0	26.51	General
5012927075 - C220936	PCR 26,5% (26,5 - 26,59)	0	26.51	General
5012922224 - C220609	PCR 26,6% (26,6 - 26,69)	0	26.7	General
5012924554 - SDS103004	PCR 26,6% (26,6 - 26,69)	0	26.61	General
5012926308 - C220513	PCR 26,6% (26,6 - 26,69)	0	26.7	General
5012926452 - C230096	PCR 26,6% (26,6 - 26,69)	0	26.7	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012926533 - C230302	PCR 26,6% (26,6 - 26,69)	0	26.7	General
5012925473 - C220198	PCR 26,7% (26,7 - 26,79)	0	26.73	General
505301017 - SIN RF.	PCR 26,9% (26,9 - 26,99)	0	26.96	General
5012924185 - 11000094	PCR 27% (27 - 27,09)	0	27.02	General
5012927159 - T02078	PCR 27,1% (27,1 - 27,19)	0	27.18	General
5012926126 - C240271	PCR 27,3% (27,3 - 27,39)	0	27.36	General
5012926439 - C230304	PCR 27,3% (27,3 - 27,39)	0	27.36	General
5012927356 - T92366	PCR 27,4% (27,4 - 27,49)	0	27.44	General
5012926797 - OPT151ML100	PCR 27,5% (27,5 - 27,59)	0	27.58	General
5012926799 - OPT401ML100	PCR 27,5% (27,5 - 27,59)	0	27.58	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5012925706 - TB00017	PCR 27,6% (27,6 - 27,69)	0	27.67	General
508420109 - 60013532/01	PCR 27,6% (27,6 - 27,69)	0	27.61	General
5012925226 - CRTP100HCGR0	PCR 27,8% (27,8 - 27,89)	0	27.89	General
5012925392 - CRTP100ALR00	PCR 27,8% (27,8 - 27,89)	0	27.89	General
7012923629 - GASPMT150MLP04	PCR 27,8% (27,8 - 27,89)	0	27.85	General
5012920635 - TB00006	PCR 27,9% (27,9 - 27,99)	0	27.96	General
5012926536 - C220989	PCR 27,9% (27,9 - 27,99)	0	27.97	General
5012925889 - C220322	PCR 28% (28 - 28,09)	0	28.05	General
5012925890 - C220910	PCR 28% (28 - 28,09)	0	28.05	General
50871247 - 3612624364177	PCR 28% (28 - 28,09)	0	28.06	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

50871248 - 3612624364146	PCR 28% (28 - 28,09)	0	28.06	General
5012926222 - CH022B13.15R	PCR 28,1% (28,1 - 28,19)	0	28.18	General
5012925414 - T02031	PCR 28,2% (28,2 - 28,29)	0	28.24	General
5012925416 - T94440	PCR 28,2% (28,2 - 28,29)	0	28.24	General
5012926590 - 211378	PCR 28,2% (28,2 - 28,29)	0	28.21	General
501294274 - TB00003	PCR 28,2% (28,2 - 28,29)	0	28.24	General
5012924083 - 030636	PCR 28,4% (28,4 - 28,49)	0	28.49	General
5012925070 - 50-20-20-447	PCR 28,4% (28,4 - 28,49)	0	28.5	General
5012926780 - 211436	PCR 28,5% (28,5 - 28,59)	0	28.56	General
5012926196 - 031731	PCR 28,6% (28,6 - 28,69)	0	28.65	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 211ª Planta
28036 - Madrid, Spain



RecyClass

5012925195 - CC003B17.15RA	PCR 28,7% (28,7 - 28,79)	0	28.79	General
5012924960 - 029739	PCR 28,8% (28,8 - 28,89)	0	28.83	General
5012924961 - 028196	PCR 28,8% (28,8 - 28,89)	0	28.83	General
5012923761 - FAC00635	PCR 29,3% (29,3 - 29,39)	0	29.36	General
5012923892 - FAC00478	PCR 29,3% (29,3 - 29,39)	0	29.36	General
5012923894 - FAC00479	PCR 29,3% (29,3 - 29,39)	0	29.36	General
5012925919 - FAC00365	PCR 29,3% (29,3 - 29,39)	0	29.36	General
5012926416 - FAC00434	PCR 29,3% (29,3 - 29,39)	0	29.36	General
5012925073 - CC003B14.15RB	PCR 29,4% (29,4 - 29,49)	0	29.42	General
5012925188 - CC017B14.15R	PCR 29,4% (29,4 - 29,49)	0	29.42	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 211ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5012925190 - CH017B13.15RA	PCR 29,4% (29,4 - 29,49)	0	29.42	General
5012925953 - CC018B14.15R	PCR 29,4% (29,4 - 29,49)	0	29.42	General
5012926672 - CC021B13.15R	PCR 29,4% (29,4 - 29,49)	0	29.42	General
5012926722 - KS006B10.15R	PCR 29,4% (29,4 - 29,49)	0	29.42	General
5013050001 - CFR1030UD0001	PCR 29,4% (29,4 - 29,49)	0	29.44	General
5012926794 - OPT410ML150	PCR 30% (30 - 30,09)	0	30	General
5012926795 - OPT417ML150	PCR 30% (30 - 30,09)	0	30	General
5012926796 - OPT413ML150	PCR 30% (30 - 30,09)	0	30	General
5012926982 - OPT137ML150	PCR 30% (30 - 30,09)	0	30	General
5012926983 - OPT119ML150	PCR 30% (30 - 30,09)	0	30	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5012926446 - GATFEGB03	PCR 30,1% (30,1 - 30,19)	0	30.16	General
5112927295 - à déterminer	PCR 30,2% (30,2 - 30,29)	0	30.25	General
5112927369 - 822002551012260	PCR 30,2% (30,2 - 30,29)	0	30.3	General
5012926866 - GATFEGB20ML01	PCR 30,4% (30,4 - 30,49)	0	30.42	General
5012926810 - EMSDA1001/2	PCR 31% (31 - 31,09)	0	31.05	General
5012926038 - 423TUB1	PCR 31,5% (31,5 - 31,59)	0	31.52	General
508061430551 - 6685TBX	PCR 31,8% (31,8 - 31,89)	0	31.85	General
5012919207 - 5046017C	PCR 32,6% (32,6 - 32,69)	0	32.61	General
5012919648 - CM464152	PCR 32,6% (32,6 - 32,69)	0	32.68	General
5012919650 - CR465223	PCR 32,6% (32,6 - 32,69)	0	32.68	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain



RecyClass

5012919651 - CR465233	PCR 32,6% (32,6 - 32,69)	0	32.68	General
5012921943 - CM461502	PCR 32,6% (32,6 - 32,69)	0	32.68	General
5012921951 - CR468032	PCR 32,6% (32,6 - 32,69)	0	32.68	General
5012922530 - CR464683	PCR 32,6% (32,6 - 32,69)	0	32.68	General
5012922531 - CR465243	PCR 32,6% (32,6 - 32,69)	0	32.68	General
5012927580 - LIC42B00128 ANONYME	PCR 32,8% (32,8 - 32,89)	0	32.81	General
5012440002 - MT0050000120300	PCR 32,9% (32,9 - 32,99)	0	32.94	General
5012926843 - 22141	PCR 32,9% (32,9 - 32,99)	0	32.94	General
5012927444 - 22146	PCR 32,9% (32,9 - 32,99)	0	32.94	General
5012926588 - 211412	PCR 33% (33 - 33,09)	0	33.09	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 211ª Planta
28036 - Madrid, Spain



RecyClass

5012926878 - OPT187ML200	PCR 33,1% (33,1 - 33,19)	0	33.11	General
508061430547 - 6675TB15X	PCR 33,2% (33,2 - 33,29)	0	33.24	General
508061430548 - 6676TB15X	PCR 33,2% (33,2 - 33,29)	0	33.24	General
508061430549 - 6677TB15X	PCR 33,2% (33,2 - 33,29)	0	33.24	General
5012921313 - CM461492	PCR 34% (34 - 34,09)	0	34.07	General
5012927214 - 21702	PCR 34% (34 - 34,09)	0	34.08	General
5012926775 - 452TUB1	PCR 35% (35 - 35,09)	0	35.06	General
5012926682 - CTU4920	PCR 35,3% (35,3 - 35,39)	0	35.31	General
5012926815 - PTUBE02581	PCR 4,6% (4,6 - 4,69)	0	4.65	General
5066089 - 21427871	PCR 4,6% (4,6 - 4,69)	0	4.61	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5066090 - 21427872	PCR 4,6% (4,6 - 4,69)	0	4.61	General
5012925048 - CH010B10.15RC	PCR 44,1% (44,1 - 44,19)	0	44.2	General
5012926696 - 7421059766	PCR 5,2% (5,2 - 5,29)	0	5.25	General
508064270380 - 53TB015052	PCR 5,3% (5,3 - 5,39)	0	5.31	General
5012924584 - 802552	PCR 5,6% (5,6 - 5,69)	0	5.61	General
5012925024 - 00802550	PCR 5,6% (5,6 - 5,69)	0	5.61	General
5012925025 - 802551	PCR 5,6% (5,6 - 5,69)	0	5.61	General
5012927313 - 802554	PCR 5,6% (5,6 - 5,69)	0	5.61	General
5012926813 - PTUBE02502	PCR 6,1% (6,1 - 6,19)	0	6.13	General
508064270381 - 51TB010051	PCR 6,1% (6,1 - 6,19)	0	6.1	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

5012927255 - Présérie - Option1	PCR 6,6% (6,6 - 6,69)	0	6.67	General
508064270315 - 53TB001507	PCR 6,6% (6,6 - 6,69)	0	6.62	General
5012925883 - CR456820	PCR 6,8% (6,8 - 6,89)	0	6.85	General
5012925886 - CR456840	PCR 6,8% (6,8 - 6,89)	0	6.85	General
508064270377 - 53TB005043	PCR 7,8% (7,8 - 7,89)	0	7.8	General
508064270384 - 53TB005044	PCR 7,8% (7,8 - 7,89)	0	7.8	General
508064270285 - 53TB010057	PCR 8,2% (8,2 - 8,29)	0	8.23	General
5012926228 - LC9001391WW	PCR 8,7% (8,7 - 8,79)	0	8.75	General
5012924101 - 7424244581	PCR 9% (9 - 9,09)	0	9.06	General
5012926978 - TUBE CF11 BB CREME MONOP-25ML	PCR 9,2% (9,2 - 9,29)	0	9.2	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

EQA

RecyClass

508064270259 - 51TB007550	PCR 9,2% (9,2 - 9,29)	0	9.21	General
5012927126 - 102716300	PCR 9,3% (9,3 - 9,39)	0	9.31	General
5012926459 - 7424261538	PCR 9,6% (9,6 - 9,69)	0	9.64	General
5012927205 - 7424238042 TEST	PCR 9,6% (9,6 - 9,69)	0	9.64	General
511990110 - EN101510	PCR 9,6% (9,6 - 9,69)	0	9.69	General
5012924334 - PS0058393	PCR 9,7% (9,7 - 9,79)	0	9.8	General
5012925231 - 331713	PCR 9,7% (9,7 - 9,79)	0	9.77	General
5012925972 - 334147	PCR 9,7% (9,7 - 9,79)	0	9.77	General
7012927127 - FLT045	PCR 9,8% (9,8 - 9,89)	0	9.86	General

Audit Report and Certificate Code:

RC205-CTL-03-26-EQA-AF

Date of the on-site audit:

11/02/2025

Date of issue of certification:

28/03/2025

Period of validity*:

13/03/2025 - 12/03/2026

*Validity conditions and terms of use may be found in the Audit Scheme documents.

**RecyClass Module A does not constitute proof of food contact approval or guarantees full compliance with Regulation (EU) N° 2022/1616.

CERTIFIED BY:


Esperanza Martinez Garcia
Directora de Certificación

Ms. Esperanza Martinez

Legal Representative

European Quality Assurance S.L.

Calle Joaquín Bau, 21ª Planta
28036 - Madrid, Spain

